



INVESTOR IN PEOPLE



The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.


In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 11 April 2001



Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1. Your reference	CASD / P21336GB		
2. Patent application number (The Patent Office will fill in this part)	9922025.3		
3. Full name, address and postcode of the or of each applicant (underline all surnames)	J & J Cash Limited Torrington Avenue Coventry CV4 9UZ United Kingdom		
Patents ADP number (if you know it)	06841183001		
If the applicant is a corporate body, give the country/state of its incorporation	United Kingdom ∞		
4. Title of the invention	WOVEN FABRIC		
5. Name of your agent (if you have one)	ERIC POTTER CLARKSON PARK VIEW HOUSE 58 THE ROPEWALK NOTTINGHAM NG1 5DD		
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)			
Patents ADP number (if you know it)	1305010 ①		
6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application number (if you know it)	Date of filing (day / month / year)
7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application		Date of filing (day / month / year)
8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:	YES		
a) any applicant named in part 3 is not an inventor; or			
b) there is an inventor who is not named as an applicant, or			
c) any named applicant is a corporate body. See note (d))			

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 8

Claims(s) 0

Abstract 0

Drawing(s) 1 + 1

10. If you are also filing in any of the following, state how many against each item.

Priority Documents 0

Translations of priority documents 0

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*) NO

Request for preliminary examination and search (*Patents Form 9/77*) NO

Request for substantive examination (*Patents Form 10/77*) NO

Any other documents
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Eric Potter Clarkson.

Signature

ERIC POTTER CLARKSON

Date

17 September 1999

12. Name and daytime telephone number of person to contact in the United Kingdom 0115 9552211

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 01645 500505.*
- Write your answers in capital letters using black ink or you may type them.*
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.*
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.*
- Once you have filled in the form you must remember to sign and date it.*
- For details of the fee and ways to pay please contact the Patent Office.*

WOVEN FABRIC

The present invention relates to a woven fabric, in particular but not exclusively a woven label, incorporating a woven in machine-readable code.

5

The present invention also relates to a process for producing woven fabric, in particular labels, incorporating a woven in machine-readable code.

- 10 According to one aspect of the present invention there is provided a woven fabric, in particular a label, having a region formed from a ground weave which defines a background, said region including an array of spaced apart dots formed by yarns exposed on the surface of the ground weave, said array of spaced apart dots collectively defining a machine-
15 readable code.

Preferably the dots are defined by weft yarns which contrast with the background defined by the ground weave.

- 20 In a first embodiment, the dots are spaced apart in both the warp and weft directions to define a two dimensional machine-readable code.

Preferably for the first embodiment each dot is of the same size and is defined by a predetermined number of adjacent wefts which float over a predetermined number of adjacent warps to define a dot of a
25 predetermined shape. Preferably said predetermined shape of each dot is generally square.

As an example the square shape of each dot is formed by two adjacent wefts extending across three adjacent warps.

30

Preferably for the first embodiment the array of dots is arranged in a predetermined number of rows and columns, the spacing between adjacent rows being preferably 2 wefts and the spacing between adjacent columns being preferably 3 warps.

5

In a second embodiment the dots are spaced in the weft direction only to define warp extending columns spaced apart in the weft direction and thereby define a one dimensional machine-readable code, commonly referred to as a bar code.

10

For the second embodiment the dots in each column are formed by dot forming weft yarns floating over the same number of warps in order to produce a bar of a desired width extending in the warp direction.

15 For both embodiments, the dot forming yarn from which the dots are formed is chosen to provide a contrast with the ground weave such that a machine is able to detect the presence of the dots on the surface of the ground weave. Accordingly the yarn for forming the dots may be of any type which achieves this function.

20

For example the dot forming yarn may be of a colour which contrasts with the colour of the ground weave. With such an arrangement the array of dots is visible on the surface of the ground weave.

25 Alternatively, the dot forming yarn may be invisible under normal white light but is detectable under a different light, eg. ultraviolet light. With such an arrangement the array of dots would be not be visible on the surface of the ground weave under normal white light conditions.

According to another aspect of the present invention there is provided a process for producing woven fabric, in particular labels, the process comprising weaving a ground weave from weft and warp yarns, and at a predetermined region of the fabric selectively introducing dot forming
5 yarns to create an array of dots on the surface of said ground weave to define a machine-readable code.

Preferably the fabric is woven on a loom having a jacquard for controlling shedding of warp yarns and preferably at least in said region the jacquard
10 is arranged to selectively control shedding of individual warp yarns.

Preferably the jacquard is electronically controlled by a computer which is programmed to provide the pattern information for generating the desired array of dots in said region.

15 The computer may be arranged to provide the same array of dots for each successively woven region or may be arranged to provide a different array of dots for each successively woven region.

The loom may be a narrow fabric loom or a broadloom.
20

When producing labels, it is envisaged that a ribbon of successive labels will be produced and that more than one ribbon may be simultaneously produced across the width of the loom. The individual ribbons may be woven separately side by side, for example on a twin rapier needle loom,
25 or may be joined whilst being woven to form a sheet and then subsequently separated, for example by slitting.

When producing more than one ribbon of labels simultaneously, it is envisaged that the jacquard may be controlled so as to weave the same or

different arrays of dots in said regions which are being simultaneously woven across the loom.

Various aspects of the present invention are hereinafter described with
5 reference to the accompanying drawings in which :-

Figure 1 is a plan view of a label according to an embodiment of the present invention;

Figure 2 is a diagrammatic view of a weave showing part of an array of dots which form a two dimensional machine-readable code;

10 Figure 3 is a diagrammatic view of a weave showing part of any array of dots which form a one dimensional machine-readable code;

Figure 4 is a schematic view of part of a sheet of woven fabric containing a plurality of side by side ribbons of labels according to an embodiment of the present invention.

15

Referring to Figure 1 there is shown a label 10 according to an embodiment of the present invention. The label is of a woven construction, the warp direction being shown as Wp and the weft direction being shown as Wt.

20

The body 11 of the label 10 is formed by a ground weave and within the body 11 there is provided a machine readable code region 14 which is defined by an array of dots 16.

25 The body 11 of the label 10 is formed by a ground weave which produces a surface appearance which is suitable for reading by an optical scanner.

Preferably such a weave is a tight weave which provides a consistent background for the scanner; the choice of yarns and/or weave preferably
30 being such as to provide a dull or matt appearance. Accordingly, textured

yarns are preferably used for both the warp and weft. Also, the weave structure is preferably a plain weave, such as for example taffeta.

As more clearly seen in Figure 2, in a first embodiment the dots 16 are
5 defined by dot forming weft yarn which is floated across adjacent warps 20 (shown as broken lines) to define a float 21 lying on the surface of the ground weave.

In Figure 2 each dot 16 is formed from one or more adjacent floats 21 in
10 order to define a dot of a shape and size which is capable of being machine read. Preferably each dot 16 is generally square in shape and is preferably defined by two adjacent floats 21 which extend across three adjacent warps 20.

15 As shown in Figure 2, for defining a two dimensional machine readable code the dots 16 are spaced apart in both the warp Wp and weft Wt directions to reside in spaced apart columns and spaced apart rows. For defining a two dimensional machine-readable code, the dots 16 are preferably of the same size and shape.

20

As shown in Figure 3, for defining a one dimensional machine-readable code the dots 16 are spaced in the weft direction and arranged in spaced apart columns only. The columns extend in the warp direction Wp and define spaced apart bars 18. The dots 16 in each column are formed from
25 floats 21 which float across the same number of adjacent warps in order to provide a bar of the desired width. Adjacent bars are spaced apart in the weft direction Wt by a desired number of adjacent warps 20. The floats 21 are formed in successive weft insertions such that all floats 21 in each are closely spaced from their neighbouring features.

30

The size of each dot 16 is chosen to provide a size which is suitable for reading by an optical scanner. Accordingly each dot 16 may be formed by any suitable number of weft yarns extending over any suitable number of warp yarns. In an extreme example, in order to produce a very small dot, it is envisaged that the dot 16 may be formed by a single weft extending over a single warp.

An example of a label incorporating dots 16 of approximately 0.5 mm square is given below.

10

Example

A clearly defined dot of approximate size 0.5 mm square can be achieved using the following combination of warp and weft yarns.

15

Weave Structure	Taffeta
Number of warps	3
Warp yarn	110 dtex textured polyester
Warp Yarn Density	6 threads/mm
20 Number of wefts	2
Weft yarn	110 dtex textured polyester
Weft Yarn Density	3 threads/mm

The body 11 of label 10 may include other information carrying regions. For example the label 10 is shown including a generic information region 30 which carries the same information on different labels. For example, the generic region 30 may contain a manufacturers name and/or logo. Label 10 is also shown having a specific information carrying region 32 which carries different information on different labels. For example, the labels may be used to identify a garment size or garments belonging to

individual employees in a company and region 32 carries the size or the name of a specific employee.

5 Preferably, labels 10 are produced on a narrow fabric loom or a broadloom having an electronically controlled jacquard. The loom includes weft yarn selection to enable different weft yarns to be selectively inserted into the weave when required.

10 The labels may be produced on a narrow fabric loom as one or more discrete ribbons each comprising a string of labels having selvages.

Alternatively, as seen in figure 4 the labels may be produced on a narrow fabric loom or a broadloom in a sheet so comprising joined ribbons 51 of labels which are subsequently slit into discrete ribbons.

15

The jacquard is preferably arranged to control individual warps at least for those warps passing through regions 14 and where provided, regions 32. This enables the jacquard to control shedding of the warps in these regions for providing unique information in region 14 (and region 32, if provided)
20 for labels being woven simultaneously across the width of the loom.

Preferably the ground weave defines a background that gives a strong contrast against the yarn forming the dot.

25 It is envisaged that other dot forming yarns may be used which are invisible in white light but contrast with the background weave under different light, eg ultraviolet light. A suitable yarn would perhaps have fluorescent properties.

In the above example, the weft is floated across adjacent warps in order to define a dot 16. It is envisaged that as an alternative, the warp may be floated across adjacent wefts in order to define a dot 16.

